

## REFERENCES

### Nutrition for VLBW Infants

#### General/Benefits of Human Milk

- Caicedo, R. A., Schanler, R. J., Li, N., & Neu, J. (2005). The developing intestinal ecosystem: Implications for the neonate. *Pediatr Res*, *58*(4), 625-628.
- Henderson, G., Anthony, M. Y., & McGuire, W. (2007). Formula milk versus maternal breast milk for feeding preterm or low birth weight infants. *Cochrane Database Syst Rev*(4), DOI:10.1002/14651858.CD14002972.pub14651852.
- Heiman and Schanler (2006). Benefits of maternal and donor human milk for premature infants. *Early Human Development*, *82*, 781-787.
- JKuzma-O'Reilly, B., Duenas, M. L., Greecher, C., Kimberlin, L., Mujsce, D., Miller, D., et al. (2003). Evaluation, development, and implementation of potentially better practices in neonatal intensive care nutrition. *Pediatrics*, *111*, e461-e470.
- Meier, P., Engstrom, J. L., Patel, A. L., Jeiger, B. J., & Bruns, N. (2010). Improving the use of human milk during and after nicu stay. *Clin Perinatol*, *37*, 217-245.
- Meinzen-Derr, J., Poindexter, B. B., Wrage, L., Morrow, B., Stoll, B. J., & Donovan, E. F. (2008). Role of human milk in extremely low birth weight infants' risk of necrotizing enterocolitis or death. *J Perinatol*, *29*(1), 57-62.
- O'Connor, D. L., Jacobs, J., Hall, R. T., Adamkin, D., Auestad, N., Castillo, M., et al. (2003). Growth and development of premature infants fed predominantly human milk, predominately premature infant formula, or a combination of human milk and premature formula. *J Pediatr Gastroenterol Nutr*, *37*, 437-446.
- Patel, A.L., Meier, P.P., & Engstrom, J.L. (2007). The evidence for use of human milk in very low-birthweight preterm infants. *NeoReviews*, *8*, e459-e466.
- Porcelli, P. (2010). The influence of early postnatal nutrition on retinopathy of prematurity on extremely low birth weight infants. *Early Hum Dev*, *86*, 391-396.
- Sisk, P. M., Lovelady, C. A., Dillard, R. G., Gruber, K. J., & O'Shea, T. M. (2008). Human milk consumption and full enteral feeding among infants  $\leq$  1250 grams. *Pediatrics*, *121*(6), e1528-e1533.
- Sisk, P. M., Lovelady, C. A., Gruber, K. J., Dillard, R. G., & O'Shea, T. M. (2007). Early human milk feeding is associated with a lower risk of necrotizing enterocolitis in very low birth weight infants. *J Perinatol*, *27*(7), 428-433.
- Vohr, B. R., Poindexter, B. B., Dusick, A. M., McKinley, L. T., Higgins, R. D., Langer, J. C., et al. (2007). Persistent beneficial effects of breast milk ingested in the neonatal intensive care unit on outcomes of extremely low birth weight infants at 30 months of age. *Pediatrics*, *120*(4), e953-e959.

## **Lactation Consulting**

Castrucci, B.C., Hoover, K.L., Lim, S., & Maus, K.C. (2007). Availability of lactation counseling services influences breastfeeding among infants admitted to neonatal intensive care units. *Amer J Health Promotion, 21*, 410-415.

Dweck, N., Augustine, M., Pandya, D., Valdes-Greene, R., Visintainer, P., & Brumberg, H. (2008). Nicu lactation consultant increases percentage of outborn versus inborn babies receiving human milk. *J Perinatol, 28*, 136-140.

Merewood, A., Chamberlain, L., Cook, J., Philipp, B., Malone, K., & Bauchner, H. (2006). The effect of peer counselors on breastfeeding rates in the neonatal intensive care unit. *Arch Pediatr Adolesc Med, 160*, 681-685.

## **Early Counseling/Sharing the Science**

Furman, L. (2007) Does providing human milk for her very low-birthweight infant help the mother? *NeoReviews, 8*, e478-e484.

Meier, P.P., Engstrom, J.L., (2007). Evidence-based practices to promote exclusive feeding of human milk in very low-birthweight infants. *NeoReviews, 8*, e467-e477.

Renfrew, M., Craig, D., Dyson, L., et al. (2009) Breastfeeding promotion for infants in neonatal units: a systematic review and economic analysis. *Health Economic Assessment, 13*, No. 40.

Miracle, D.J., Fredland, V., (2007). Provider encouragement of breastfeeding: efficacy and ethics. *J Midwifery & Women's Health,, 52*, 545-548.

Rodriguez, N. A., Miracle, D. J., & Meier, P. P. (2005). Sharing the science on human milk feedings with mothers of very-low-birth-weight infants. *J Obstet Gynecol Neonatal Nurs, 34*(1), 109-119.

Sisk, P. M., Lovelady, C. A., Dillard, R. G., & Gruber, K. J. (2006). Lactation counseling for mothers of very low birth weight infants: Effect on maternal anxiety and infant intake of human milk. *Pediatrics, 117*(1), 67-75.

## **Colostrum**

Hartmann, P. E., Cregan, M. D., Ramsay, D. T., Simmer, K., & Kent, J. C. (2003). Physiology of lactation in preterm mothers: Initiation and maintenance. *Pediatr Ann, 32*, 351-355.

Morton, J., Hall, J. Y., Wong, R. J., Thairu, L., Benitz, W. E., & Rhine, W. D. (2009). Combining hand techniques with electric pumping increases milk production in mothers of preterm infants. *J Perinatol, 29*, 757-764.

Ohyama, M., Watabe, H., & Hayashaka, Y. (2010). Manual expression and electric breast pumping in the first 48 h after delivery. *Pediatr Int., 52*, 39-43.

Rodriguez, N. A., Meier, P. P., Groer, M. W., & Zeller, J. M. (2009). Oropharyngeal administration of colostrum to extremely low birth weight infants: Theoretical perspectives. *J Perinatol*, 29(1), 1-7.

### **Obtaining/handling/storing milk**

Jones, D., & Spencer, S. A. (2007). Optimizing the provision of human milk for preterm infants. *Arch Dis Child Fetal Neonatal*, 92, F236-F238.

Jones and Tully. Best practices fro expressing, Storing, and handling Human Milk. 2<sup>nd</sup> edition. HMBANA, 2006.

Robbins and Baker. infnat feedings. Guidleines for Preparation of formula and Breastmilk in Health care Facilities. American Dietetic associaton. 2004.

### **Hand Expression**

Early Hand Expression Increases Milk Production - Streaming media.  
<http://newborns.stanford.edu/Breastfeeding/HandExpression.html>

Making Enough Milk, The Key to Successful Breastfeeding. Planning for Day One.  
[www.breastmilkolutions.com](http://www.breastmilkolutions.com)

### **Skin to Skin/Kangaroo Mother Care**

Nyqvist, K. (2010). Towards universal kangaroo mother care: Recommendations and report for the first European conference and seventh international workshop on kangaroo mother care. *Acta Paediatr*, 99, 820-826.

### **Feeding Guidelines**

Henderson, G., Craig, S., Brocklehurst, P., & McGuire, W. (2007). Enteral feeding regimes and necrotising enterocolitis in preterm infants: Multi-center case-control study. *Arch Dis Child Neonatal Fetal Ed*, [Epub ahead of print].

Patole, S., & de Klerk, N. (2005). Impact of standardised feeding regimens on incidence of neonatal necrotising enterocolitis: A systematic review and meta-analysis of observational studies. *Arch Dis Child Fetal Neonatal Ed*, 90(2), F147-151.

Premiji. (2002). Evidence based feeding guidelines for very low birth weight infants. *Adv Neonatal Care*, 2, 5-18.

Tyson, J. E., Kennedy, K. A., Lucke, J. F., & al., e. (2007). Diemmas initiating enteral feedings in high risk infants: How can they be resolved? *Semin Perinatol*, 31, 61-73.

### **Donor milk**

- Arslanoglu, S., Ziegler, E., Moro, G., & Nutrition, W. W. G. o. (2010). Donor human milk in preterm infant feeding: Evidence and recommendations. *J Perinat Med*, *38*, 347-351.
- Bertino, E., Guiliani, F., Occhi, L., Coscia, A., & Tonetto, P. (2009). Benefits of donor human milk for preterm infants: Current evidence. *Early Hum Dev*, *85*, S9-S10.
- Cohen, R.S. (2009) Current issues in human milk banking. *NeoReviews*, *8*, e289-e294.
- McGuire, W., Anthony, M.Y., (2003) Donor human milk versus formula for preventing necrotizing enterocolitis in preterm infants: systematic review. *Arch Dis Child*, *88*, F11-14.
- Morales, Y., Schanler, R.J., (2007) Human milk and clinical outcomes in VLBW infants: how compelling is the evidence of benefit? *Seminars in Perinatology*, *31*, 83-8.
- Quigley, M. A., Henderson, G., Anthony, M. Y., & McGuire, W. (2007). Formula milk versus donor milk for feeding preterm or low birth weight infants. *Cochrane Database Syst Rev*, *CD002971*(4. Art. CD002971. DOI: 10.1002/14651858.CD002971.pub2.).
- Wight, N. (2001). Donor human milk for preterm infants. *J Perinatol*, *21*, 249-254.

### **Fortification**

- Arslanoglu, S., Moro, G., & Ziegler, E. (2010). Optimization of human milk fortification for preterm infants: New concepts and recommendations. *J Perinat Med*, *38*, 233-238.
- Schanler, R.J., Shulman, R.J., Lau, C. (1999). Feeding strategies for premature infants: beneficial outcomes of feeding fortified human milk versus preterm formula. *Pediatrics*, *103*, 1150-1157.

### **Early Parenteral Protein**

#### **Non-nutritive Sucking**

- Nyqvist, K. H. (2008). Early attainment of breastfeeding competence in very preterm infants. *Acta Paediatr*, *97*, 776-781.
- Nyqvist, K. H., & Kylberg, E. (2008). Application of the baby friendly hospital initiative to neonatal care: Suggestions by swedish mothers of very preterm infants. *J Hum Lact*, *24*, 252-262.
- Pimenta, H. P., Moreira, M. E., Rocha, A. D., Gomes, S. C., Pinto, L. W., & Lucena, S. L. (2008). Effects of non-nutritive sucking and oral stimulation on breastfeeding rates for preterm, low birth weight infants: A randomized clinical trial. *J Pediatr (Rio J)*, *84*, 423-427.

### **Transitioning to Breastfeeding/Nutrition Post-discharge**

#### **Economic Impact**

---