Simple instructions to optimize use of the Neonatal Hypoglycemia Tracking Tool are as follows:

- Ensure nurses caring for at-risk hypoglycemic newborns are educated on the tool (they will own the success of this process)
- Instruct them to introduce the tool to parents of the at-risk newborn, taking the time to outline why the tool is important, why they are monitoring their newborn and the importance of them calling the nurse prior to feeding so a pre-prandial glucose level can be obtained. (excellent opportunity to educate family)
- Each time a feeding and/or intervention occurs, it should be documented on the tool
- Once newborn is discharged, no longer being monitored or transferred for higher acuity care, the form should be collected and reviewed



Neonatal Hypoglycemia Tracking Log

Your inf	ant will be h	aving seve	eral blood sugar	levels because	e he or she is:	
 Late Preterm Infant: less than 37 wks Small for gestational age Large for gestation age Infant of a Diabetic Mothers (IDM) Has signs or symptoms of low sugars 				Pt Sticker		
	Date of birth	ı	Time	of birth		
		-	-		s . Please let your perform the test.	
Time	Blood Glucose Result	Time	Feeding type	Time Gel Given	Comments	
		Ada	pted from Advocate Lut	neran General Hospital	Hypoglycemia tracing tool.	



Your infant will be having several blood sugar levels because he or she is:

- Late Preterm Infant: less than 37 wks
- _Small for gestational age

_Large for gestation age

____Has signs or symptoms of low sugars

Date of birth _____ T

'ime	of	bir	th_	
------	----	-----	-----	--

Pt Sticker

These blood tests are performed **before your infant feeds**. Please let your nurse know when your baby gets hungry so that she can perform the test.

Time	Blood Glucose Result	Time	Feeding type	Time Gel Given	Comments
		Ada	apted from Advocate L	utheran General Hospita	al Hypoglycemia tracing tool.

Time	Blood Glucose Result	Time	Feeding type	Time Gel Given	Comments

Blood Glucose Result	Time	Feeding type	Time Gel Given	Comments
	Glucose	Glucose	Glucose type	Glucose type Gel Given

When infant is discharged place this card in the Hypoglycemia Folder in the Nursery When infant is discharged place this card in the Hypoglycemia Folder in the Nursery